



## Technische Daten

Anschlussstutzen mit konischem NPTF-Gewinde

**Material:**  
Automatenstahl

**Oberfläche:**  
Grill

## Technical data

Threaded adapter with conical NPTF thread

**Material:**  
Free cutting steel

**Surface:**  
Grill

DN Nominal width	Size Size	Zoll Inch	Anschluss T Thread T	Abzugsmaß C (mm) Cut-off C (mm)	d (mm) d (mm)	E (mm) E (mm)	L (mm) L (mm)	VE PU	Artikelnummer Article number
6	04	1/4	1/8-27	22,0	4,0	12	47,0	5	VC02NM04
<b>6</b>	<b>04</b>	<b>1/4</b>	<b>1/4-18</b>	<b>28,0</b>	<b>4,0</b>	<b>15</b>	<b>55,2</b>	<b>5</b>	<b>VC04NM04</b>
6	04	1/4	3/8-18	28,0	4,0	19	53,0	5	VC06NM04
<b>8</b>	<b>05</b>	<b>5/16</b>	<b>3/8-18</b>	<b>28,0</b>	<b>5,5</b>	<b>19</b>	<b>55,5</b>	<b>5</b>	<b>VC06NM05</b>
10	06	3/8	1/4-18	27,0	7,0	15	57,5	5	VC04NM06
<b>10</b>	<b>06</b>	<b>3/8</b>	<b>3/8-18</b>	<b>28,0</b>	<b>7,0</b>	<b>19</b>	<b>57,5</b>	<b>5</b>	<b>VC06NM06</b>
10	06	3/8	1/2-14	34,0	7,0	22	64,0	5	VC08NM06
12	08	1/2	3/8-18	26,0	9,5	19	60,5	5	VC06NM08
<b>12</b>	<b>08</b>	<b>1/2</b>	<b>1/2-14</b>	<b>35,0</b>	<b>9,5</b>	<b>22</b>	<b>66,5</b>	<b>5</b>	<b>VC08NM08</b>
16	10	5/8	1/2-14	35,0	12,0	22	69,5	5	VC08NM10
16	10	5/8	3/4-14	33,0	12,0	27	70,5	5	VC12NM10
<b>19</b>	<b>12</b>	<b>3/4</b>	<b>3/4-14</b>	<b>37,5</b>	<b>15,0</b>	<b>27</b>	<b>77,0</b>	<b>5</b>	<b>VC12NM12</b>
19	12	3/4	1-11.1/2	43,0	15,0	36	92,5	5	VC16NM12
<b>25</b>	<b>16</b>	<b>1</b>	<b>1-11.1/2</b>	<b>47,0</b>	<b>20,0</b>	<b>36</b>	<b>102,0</b>	<b>1</b>	<b>VC16NM16</b>

Standardnennweiten in **Fettdruck**, standard dimensions in **bold print**