



## Technische Daten

Rohrstutzen DIN 2353 für Schneidring und Überwurfmutter

**Material:**  
Automatenstahl

**Oberfläche:**  
CrIII

## Technical data

Pipe socket according to DIN 2353 for cutting ring and union nut

**Material:**  
Free cutting steel

**Surface:**  
CrIII

DN Nominal width	Size Size	Zoll Inch	Abzugsmaß C (mm) Cut-off C (mm)	Rohranschluss E (mm) Pipe E (mm)	L (mm) L (mm)	Reihe Type	VE PU	Artikelnummer Article number
6	04	1/4	32,0	6	57,0	L/S	5	VC06MOSE04
<b>6</b>	<b>04</b>	<b>1/4</b>	<b>30,0</b>	<b>8</b>	<b>57,0</b>	<b>L/S</b>	<b>5</b>	<b>VC08MOSE04</b>
<b>6</b>	<b>04</b>	<b>1/4</b>	<b>32,0</b>	<b>10</b>	<b>60,0</b>	<b>L/S</b>	<b>5</b>	<b>VC10MOSE04</b>
6	04	1/4	33,0	12	61,0	L/S	5	VC12MOSE04
8	05	5/16	29,0	8	56,5	L/S	5	VC08MOSE05
<b>8</b>	<b>05</b>	<b>5/16</b>	<b>30,0</b>	<b>10</b>	<b>57,5</b>	<b>L/S</b>	<b>5</b>	<b>VC10MOSE05</b>
<b>8</b>	<b>05</b>	<b>5/16</b>	<b>32,5</b>	<b>12</b>	<b>60,5</b>	<b>L/S</b>	<b>5</b>	<b>VC12MOSE05</b>
10	06	3/8	31,0	10	60,5	L/S	5	VC10MOSE06
<b>10</b>	<b>06</b>	<b>3/8</b>	<b>31,0</b>	<b>12</b>	<b>60,5</b>	<b>L/S</b>	<b>5</b>	<b>VC12MOSE06</b>
<b>10</b>	<b>06</b>	<b>3/8</b>	<b>33,0</b>	<b>15</b>	<b>63,0</b>	<b>L</b>	<b>5</b>	<b>VC14MOSE06</b>
<b>12</b>	<b>08</b>	<b>1/2</b>	<b>33,0</b>	<b>15</b>	<b>64,5</b>	<b>L</b>	<b>5</b>	<b>VC15MOSE08</b>
<b>12</b>	<b>08</b>	<b>1/2</b>	<b>38,0</b>	<b>16</b>	<b>69,5</b>	<b>S</b>	<b>5</b>	<b>VC16MOSE08</b>
<b>16</b>	<b>10</b>	<b>5/8</b>	<b>34,0</b>	<b>18</b>	<b>68,5</b>	<b>L</b>	<b>5</b>	<b>VC18MOSE10</b>
<b>19</b>	<b>12</b>	<b>3/4</b>	<b>36,0</b>	<b>22</b>	<b>85,5</b>	<b>L</b>	<b>5</b>	<b>VC22MOSE12</b>
<b>19</b>	<b>12</b>	<b>3/4</b>	<b>49,0</b>	<b>25</b>	<b>98,5</b>	<b>S</b>	<b>5</b>	<b>VC25MOSE12</b>
25	16	1	40,0	25	95,0	S	1	VC25MOSE16
<b>25</b>	<b>16</b>	<b>1</b>	<b>39,0</b>	<b>28</b>	<b>92,5</b>	<b>L</b>	<b>1</b>	<b>VC28MOSE16</b>

Standardnennweiten in **Fettdruck**, standard dimensions in **bold print**