



## Technische Daten

Dichtkegel mit Überwurfmutter, leichte Reihe

**Material:**  
Automatenstahl

**Oberfläche:**  
Grill

## Technical data

Sealing cone with union nut, light series

**Material:**  
Free cutting steel

**Surface:**  
Grill

DN Nominal width	Size Size	Zoll Inch	Anschluss T Thread T	Abzugsmaß C (mm) Cut-off C (mm)	d (mm) d (mm)	E (mm) E (mm)	L (mm) L (mm)	VE PU	Artikelnummer Article number
<b>6</b>	<b>04</b>	<b>1/4</b>	<b>M14x1,5</b>	<b>19,0</b>	<b>4,0</b>	<b>17</b>	<b>44,0</b>	<b>5</b>	<b>VC14MSF08-04</b>
6	04	1/4	M16x1,5	19,0	4,0	19	44,0	5	VC16MSF10-04
<b>8</b>	<b>05</b>	<b>5/16</b>	<b>M16x1,5</b>	<b>19,0</b>	<b>5,5</b>	<b>22</b>	<b>46,5</b>	<b>5</b>	<b>VC16MSF10-05</b>
8	05	5/16	M18x1,5	21,0	5,5	22	48,5	5	VC18MSF12-05
<b>10</b>	<b>06</b>	<b>3/8</b>	<b>M18x1,5</b>	<b>21,0</b>	<b>7,0</b>	<b>22</b>	<b>50,5</b>	<b>5</b>	<b>VC18MSF12-06</b>
10	06	3/8	M22x1,5	22,0	7,0	27	51,5	5	VC22MSF15-06
<b>12</b>	<b>08</b>	<b>1/2</b>	<b>M22x1,5</b>	<b>22,0</b>	<b>9,5</b>	<b>27</b>	<b>53,5</b>	<b>5</b>	<b>VC22MSF15-08</b>
<b>16</b>	<b>10</b>	<b>5/8</b>	<b>M26x1,5</b>	<b>24,0</b>	<b>12,0</b>	<b>32</b>	<b>58,5</b>	<b>5</b>	<b>VC26MSF18-10</b>

Standardnennweiten in **Fettdruck**, standard dimensions in **bold print**