



## Technische Daten

ORFS-Dichtform mit Überwurfmutter, UN-/UNF-/UNS-Gewinde

**Material:**  
Automatenstahl

**Oberfläche:**  
Grill

## Technical data

ORFS sealing form, with union nut, UN/UNF/UNS-Thread

**Material:**  
Free cutting steel

**Surface:**  
Grill

DN Nominal width	Size Size	Zoll Inch	Anschluss T Thread T	Abzugsmaß C (mm) Cut-off C (mm)	d (mm) d (mm)	E (mm) E (mm)	L (mm) L (mm)	VE PU	Artikelnummer Article number
<b>6</b>	<b>04</b>	<b>1/4</b>	<b>9/16-18</b>	<b>24,0</b>	<b>4,0</b>	<b>17</b>	<b>52,2</b>	<b>5</b>	<b>VC04LORF04</b>
6	04	1/4	11/16-16	24,0	4,0	22	49,0	5	VC06LORF04
<b>8</b>	<b>05</b>	<b>5/16</b>	<b>11/16-16</b>	<b>24,0</b>	<b>5,5</b>	<b>22</b>	<b>51,5</b>	<b>5</b>	<b>VC06LORF05</b>
<b>10</b>	<b>06</b>	<b>3/8</b>	<b>11/16-16</b>	<b>25,5</b>	<b>7,0</b>	<b>22</b>	<b>55,0</b>	<b>5</b>	<b>VC06LORF06</b>
10	06	3/8	13/16-16	30,0	7,0	24	59,5	5	VC08LORF06
<b>12</b>	<b>08</b>	<b>1/2</b>	<b>13/16-16</b>	<b>30,0</b>	<b>9,5</b>	<b>24</b>	<b>61,5</b>	<b>5</b>	<b>VC08LORF08</b>
12	08	1/2	1-14	33,0	9,5	30	64,5	5	VC10LORF08
<b>16</b>	<b>10</b>	<b>5/8</b>	<b>1-14</b>	<b>31,0</b>	<b>12,0</b>	<b>30</b>	<b>65,0</b>	<b>5</b>	<b>VC10LORF10</b>
<b>19</b>	<b>12</b>	<b>3/4</b>	<b>1.3/16-12</b>	<b>35,3</b>	<b>15,0</b>	<b>36</b>	<b>74,8</b>	<b>5</b>	<b>VC12LORF12</b>
<b>25</b>	<b>16</b>	<b>1</b>	<b>1.7/16-12</b>	<b>37,0</b>	<b>20,0</b>	<b>41</b>	<b>90,5</b>	<b>1</b>	<b>VC16LORF16</b>

Standardnennweiten in **Fettdruck**, standard dimensions in **bold print**