



## Technische Daten

Ringnippel nach DIN 7642 für metrische Hohlrauben

**Material:**  
Automatenstahl

**Oberfläche:**  
CrIII

## Technical data

Ring nipple according to DIN 7642 for metric banjo bolts

**Material:**  
Free cutting steel

**Surface:**  
CrIII

DN Nominal width	Size Size	Zoll Inch	F F	D (mm) D (mm)	d (mm) d (mm)	Abzugsmaß C (mm) Cut-off C (mm)	L (mm) L (mm)	VE PU	Artikelnummer Article number
6	04	1/4	M10	17	4,0	25,0	52,5	5	VC10MRN04
<b>6</b>	<b>04</b>	<b>1/4</b>	<b>M12</b>	<b>20</b>	<b>4,0</b>	<b>27,0</b>	<b>54,5</b>	<b>5</b>	<b>VC12MRN04</b>
6	04	1/4	M14	24	4,0	21,5	49,0	5	VC14MRN04
8	05	5/16	M30	20	5,5	22,0	51,5	5	VC12MRN05
<b>8</b>	<b>05</b>	<b>5/16</b>	<b>M14</b>	<b>24</b>	<b>5,5</b>	<b>28,0</b>	<b>57,5</b>	<b>5</b>	<b>VC14MRN05</b>
8	05	5/16	M16	28	5,5	24,5	54,0	5	VC16MRN05
10	06	3/8	M14	24	7,0	28,0	59,5	5	VC14MRN06
<b>10</b>	<b>06</b>	<b>3/8</b>	<b>M16</b>	<b>28</b>	<b>7,0</b>	<b>26,0</b>	<b>57,5</b>	<b>5</b>	<b>VC16MRN06</b>
10	06	3/8	M18	32	7,0	29,0	60,5	5	VC18MRN06
<b>12</b>	<b>08</b>	<b>1/2</b>	<b>M18</b>	<b>32</b>	<b>9,5</b>	<b>29,0</b>	<b>63,5</b>	<b>5</b>	<b>VC18MRN08</b>
12	08	1/2	M22	36	9,5	31,0	64,5	5	VC22MRN08
<b>16</b>	<b>10</b>	<b>5/8</b>	<b>M22</b>	<b>35</b>	<b>12,0</b>	<b>32,0</b>	<b>71,5</b>	<b>5</b>	<b>VC22MRN10</b>
<b>19</b>	<b>12</b>	<b>3/4</b>	<b>M16</b>	<b>46</b>	<b>15,0</b>	<b>35,5</b>	<b>89,0</b>	<b>5</b>	<b>VC26MRN12</b>
25	16	1	M30	54	20,0	41,5	101,5	5	VC30MRN16

Standardnennweiten in **Fettdruck**, standard dimensions in **bold print**